

## **PERIPHERAL NEUROPATHY - Patient Introduction**

**Personal History:** 

First	Middle IniLast	
Your Address:		
City:	Prov:	
Postal Code <u>:</u>		
Telephone: Home:	Bus:	
Cell:		
Birth Date: (DD-MM-YYYY)	Age: Male:	Female:
Occupation:	Employer:	
Marital Status:	Spouse's Name:	
Previous Chiropractor:	City:	
Last visit to this Chiropractor:		
Reason for leaving:		
Present MD:	City:	
Referred to our Centre by:		







## **PERIPHERAL NEUROPATHY - Intensity Questionnaire**

Full Name:	Date:			
This questionnaire asks you about	the intensity of symptoms in le	egs, feet & arms you may experience.		
		toms in legs and feet over the period		
of the past week only. Thank you		torns in legs and rect over the period		
of the past week only. Thank you	Tor riciping.			
1. How would you rate the discomfort in your legs, feet & arms?				
Legs	Feet	Arms		
(4) Very severe	☐ (4) Very severe	☐ (4) Very severe		
☐ (3) Severe	☐ (3) Severe	☐ (3) Severe		
(2) Moderate	☐ (2) Moderate	☐ (2) Moderate		
(1) Mild	☐ (1) Mild	☐ (1) Mild		
$\square$ (0) None in the past week	$\square$ (0) None in the past week	$\square$ (0) None in the past week		
2. How would you rate the res	tlessness in your limbs? (i.e	. do you feel you need to keep		
moving around for relief?				
Legs	Feet	Arms		
(4) Very severe	(4) Very severe	☐ (4) Very severe		
☐ (3) Severe	☐ (3) Severe	☐ (3) Severe		
☐ (2) Moderate	(2) Moderate	☐ (2) Moderate		
☐ (1) Mild	☐ (1) Mild	☐ (1) Mild		
$\square$ (0) None in the past week	$\square$ (0) None in the past week	$\square$ (0) None in the past week		
3. How much relief do you get	from moving around?			
Legs	Feet	Arms		
☐ (4) No relief	☐ (4) No relief	☐ (4) No relief		
☐ (3) Mild relief	(3) Mild relief	☐ (3) Mild relief		
☐ (2) Moderate relief	(2) Moderate relief	☐ (2) Moderate relief		
$\square$ (1) Either complete or almost	$\square$ (1) Either complete or almost	$\square$ (1) Either complete or almost		
complete relief	complete relief	complete relief		
$\square$ (0) No RLS symptoms to be	☐ (0) No RLS symptoms to be	$\square$ (0) No RLS symptoms to be		
relieved	relieved	relieved		
4. How severe is your sleep dis	sturbance due to your symp	toms?		
Legs	Feet	Arms		
(4) Very severe	(4) Very severe	☐ (4) Very severe		
(3) Severe	☐ (3) Severe	☐ (3) Severe		
☐ (2) Moderate	☐ (2) Moderate	☐ (2) Moderate		
☐ (1) Mild	☐ (1) Mild	☐ (1) Mild		
$\square$ (0) None in the past week	$\square$ (0) None in the past week	$\square$ (0) None in the past week		
	ı	l		
5. How severe was your tiredr	ess or sleepiness during the	e day due to your symptoms?		
□ (4) \/a\\\\ a\\\\\a\\\\\\\\\\\\\\\\\\\\\\\				
(4) Very severe				
(3) Severe				
(2) Moderate				
(1) Mild				
☐ (0) None in the past week				

6. How much does your condit	ion impact your quality of li	fe as a whole?
☐ (4) Very severe/ debilitating☐ (3) Severe☐ (2) Moderate☐ (1) Mild☐ (0) None in the past week		
7. How often did you get symp		
Legs	Feet	Arms
(4) Very often (6 to 7 days in 1 week)	☐ (4) Very often (6 to 7 days in 1 week)	☐ (4) Very often (6 to 7 days in 1 week)
(3) Often (4 to 5 days in 1 week)	(3) Often (4 to 5 days in 1 week)	(3) Often (4 to 5 days in 1 week)
$\square$ (2) Sometimes (2 to 3 days in 1 week)	☐ (2) Sometimes (2 to 3 days in 1 week)	☐ (2) Sometimes (2 to 3 days in 1 week)
☐ (1) Occasionally (1 day in 1 week)	☐ (1) Occasionally (1 day in 1 week)	☐ (1) Occasionally (1 day in 1 week)
☐ (0) Never In the past week	$\square$ (0) Never In the past week	☐ (0) Never In the past week
8. When you experienced sym	ptoms, how severe are they	on average?
Legs	Feet	Arms
☐ (4) Very severe (8 hours or	☐ (4) Very severe (8 hours or	(4) Very severe (8 hours or
more per 24 hour)  ☐ (3) Severe (3 to 8 hours per	more per 24 hour)  ☐ (3) Severe (3 to 8 hours per	more per 24 hour)  ☐ (3) Severe (3 to 8 hours per
24 hour)	24 hour)	24 hour)
☐ (2) Moderate (1 to 3 hours per 24 hour)	(2) Moderate (1 to 3 hours per 24 hour)	(2) Moderate (1 to 3 hours per 24 hour)
$\square$ (1) Mild(less than 1 hour per 24 hour)	☐ (1) Mild(less than 1 hour per 24 hour)	☐ (1) Mild(less than 1 hour per 24 hour)
$\square$ (0) None in the past week	☐ (0) None in the past week	☐ (0) None in the past week
9. Overall, how severe is the indially affairs, example carrying		your ability to carry out your ome, social, school or work life?
☐ (4) Very severe ☐ (3) Severe		
(3) Severe		
☐ (1) Mild		
$\square$ (0) None in the past week		
10. How severe is your mood of depressed, sad, anxious or irri		ptoms; example angry,
☐ (4) Very severe ☐ (3) Severe ☐ (2) Moderate ☐ (1) Mild ☐ (0) None in the past week		
Thank you for completing this	questionnaire	






## **PERIPHERAL NEUROPATHY - Pain Drawing**


Patient Name:			
Date:			

Please describe your current symptoms by marking on the drawing below, using symbols shown in the "Symptom Key", to indicate specific types of sensations.









## **PERIPHERAL NEUROPATHY – Treatment Fees**

	Code	Name	Cost
	4	Consultation	\$0.00
One time Fee	44	Neuropathy Initial Exam	\$110.00
One time Fee	3	Chiropractic Initial Exam	\$150.00
If required		Nutritional support	\$316.88
	1360	UltraInflammex	\$91.15
	UCP	UltraClear	\$113.44
	MCLR	MetalioClear	\$59.00
	NEU	Neurosol	\$56.00
One time Fee	NRT	Rehabilitative Training Session	\$60.00
One time Fee	NHE	Home Equipment - The Stick	\$49.00
Every fifth visit	NPE	Re-evaluations	\$55.00
Weekly up to five visits (10)	NMT	Myofascial Release (massage)	\$47.25
Per Visit (10)	NHB	Healthlight Boot Rx	\$48.00
Per Visit (10)	NWBV	Whole Body Vibration Rx	\$13.00
Per Visit (10)	NNR	Nerve Rebuilder Rx	\$34.00
Per Visit (10)	NE1	Distal Extremity Adjusting	\$12.00
If required	GS	Gait Scan	\$65.00
If required	SUFL	Orthotics (adjust code on choice)	\$450.00
If Required	X025B- X705	X- rays	\$0-84.00
If required, per visit (20)	1	Chiropractic Rx	\$45.00
If required	XRR	X-ray Reading / Report	\$30.00
If required	MOD/TRA	Modality / Traction	\$20.00

